

2021

Led Indoor Light CATALOGUE



Anern Industry Group Limited

Web: anerngroup.com

Email: group@anern.com

WhatsApp: +86 13570048098

COMPANY PROFILE



Anern Industry Group Limited

📍 F1, R&D Building, No.3 Guangpuxi Avenue, Science City, Guangzhou, China

Anern is a diversified enterprise providing scientific and technological innovation, energy applications, committed to the improvement of the living environment and international cooperation by energy-saving technologies, efficient lighting, and green energy solutions. As a leader in LED Lighting and Solar Applications. Anern insists on integrating the advanced technology and professional design into every solution and blending the best service with the highest quality products, aiming at each client's satisfaction.

Anern Industry Group Limited

Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098

01 LED Indoor Light

01-1	LED Bulb Light	01
01-2	LED Tube Light	09
01-3	LED Panel Light	13





AN-OBL10-B2

LED Bulb Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL10-B2-3W	AC185-265V	3W	255-270lm	>80
AN-OBL10-B2-5W	AC185-265V	5W	450-475lm	>80
AN-OBL10-B2-7W	AC185-265V	7W	630-665lm	>80
AN-OBL10-B2-9W	AC185-265V	9W	810-855lm	>80
AN-OBL10-B2-12W	AC185-265V	12W	1080-1140lm	>80
AN-OBL10-B2-15W	AC185-265V	15W	1350-1425lm	>80
AN-OBL10-B2-18W	AC185-265V	18W	1620-1710lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-OBL10-B3

LED Bulb Light(DOB)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL10-B3-7W	AC185-265V	7W	630-665lm	>80
AN-OBL10-B3-9W	AC185-265V	9W	810-855lm	>80
AN-OBL10-B3-12W	AC185-265V	12W	1080-1140lm	>80
AN-OBL10-B3-15W	AC185-265V	15W	1350-1425lm	>80
AN-OBL10-B3-18W	AC185-265V	18W	1620-1710lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-OBL13-A3

LED Bulb Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL13-A3-5W	AC185-265V	5W	450-475lm	>80
AN-OBL13-A3-10W	AC185-265V	10W	900-950lm	>80
AN-OBL13-A3-15W	AC185-265V	15W	1350-1425lm	>80
AN-OBL13-A3-20W	AC185-265V	20W	1800-1900lm	>80
AN-OBL13-A3-30W	AC185-265V	30W	2700-2850lm	>80
AN-OBL13-A3-40W	AC185-265V	40W	3600-3800lm	>80
AN-OBL13-A3-50W	AC185-265V	50W	4500-4750lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098




AN-OBL13-A4

LED Bulb Light(DOB)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL13-A4-5W	AC185-265V	5W	450-475lm	>80
AN-OBL13-A4-10W	AC185-265V	10W	900-950m	>80
AN-OBL13-A4-15W	AC185-265V	15W	1350-1425lm	>80
AN-OBL13-A4-20W	AC185-265V	20W	1800-1900lm	>80
AN-OBL13-A4-30W	AC185-265V	30W	2700-2850lm	>80
AN-OBL13-A4-40W	AC185-265V	40W	3600-3800lm	>80
AN-OBL13-A4-50W	AC185-265V	50W	4500-4750lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-OBL5-B1

LED Emergency Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL5-B1-5W	AC85-265V	5w	375-400lm	>70
AN-OBL5-B1-7W	AC85-265V	7w	525-560lm	>70
AN-OBL5-B1-9W	AC85-265V	9W	675-720lm	>70
AN-OBL5-B1-12W	AC85-265V	12w	900-960lm	>70
AN-OBL5-B1-15W	AC85-265V	15w	1125-1200lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098




AN-OBL5-A

LED Emergency Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL5-15w	AC85-265V	15w	1200lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-OBL13-A

LED Bulb Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-OBL13-A-60W	AC185-265V	60W	5400-5700lm	>70
AN-OBL13-A-80W	AC185-265V	80W	7200-7600lm	>70
AN-OBL13-A-100W	AC185-265V	100W	9000-9500lm	>70
AN-OBL13-A-150W	AC185-265V	150W	13500-14250lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098




AN-CLU

LED Bulb Light(U type)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-CLU-3W (2U)	AC185-265V	3W	240lm	>70
AN-CLU-5W (3U)	AC185-265V	5W	400lm	>70
AN-CLU-7W (3U)	AC185-265V	7W	560lm	>70
AN-CLU-9W (3U)	AC185-265V	9W	720lm	>70
AN-CLU-12W (3U)	AC185-265V	12W	960lm	>70
AN-CLU-16W (4U)	AC185-265V	16W	1280lm	>70
AN-CLU-20W (4U)	AC185-265V	20W	1600lm	>70
AN-CLU-24W (4U)	AC185-265V	24W	1920lm	>70
AN-CLU-32W (4U)	AC185-265V	32W	2560lm	>70
AN-CLU-40W (4U)	AC185-265V	40W	3200lm	>70
AN-CLU-48W (5U)	AC185-265V	48W	3840lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098




AN-T8-A

LED Tube Light (Aluminum+PC)

Spec.	Working Voltage	Power	Luminous Flux	CRI
T8-0.6m-A-10W	AC100V-265V	10W	1000-1400lm	>80
T8-0.9m-A-14W	AC100V-265V	14W	1400-1960lm	>80
T8-1.2m-A-18W	AC100V-265V	18W	1800-2520lm	>80
T8-1.5m-A-22W	AC100V-265V	22W	2200-3080lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-T5-A2

LED Tube Light (Aluminum+PC)

Spec.	Working Voltage	Power	Luminous Flux	CRI
T5-0.6m-A2-10W	AC90V-265V	10W	1000-1050lm	>80
T5-0.9m-A2-14W	AC90V-265V	14W	1400-1470lm	>80
T5-1.2m-A2-18W	AC90V-265V	18W	1800-1890lm	>80
T5-1.5m-A2-22W	AC90V-265V	22W	2200-2310lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-T8-D1

LED Tube Light (Plastic)

Spec.	Working Voltage	Power	Luminous Flux	CRI
T8-0.6m-D1-9W	AC170V-260V	9W	630-900lm	>70
T8-0.9m-D1-14W	AC170V-260V	14w	980-1400lm	>70
T8-1.2m-D1-18W	AC170V-260V	18W	1260-1800lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098





AN-T8-D3

LED Tube Light (Glass)

Spec.	Working Voltage	Power	Luminous Flux	CRI
T8-0.6m-D3-9W	AC170V-260V	9W	630-900lm	>70
T8-1.2m-D3-18W	AC170V-260V	18W	1260-1800lm	>70
T8-0.9m-D3-14W	AC170V-260V	14w	980-1400lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098







AN-FPL-A

LED Panel Light(Backlit light)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-FPL-A-6060-36W	100-300V(Isolated)	36W	3600-3780lm	>80
AN-FPL-A6060-48W	100-300V(Isolated)	48W	4800-5040lm	>80
AN-FPL-A30120-36W	100-300V(Isolated)	36w	3600-3780lm	>80
AN-FPL-A30120-48W	100-300V(Isolated)	48W	4800-5040lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098





AN-FPL-C

LED Panel Light(Backlit light)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-FPL-C-3030-18W	185-265V(Non-isolated)	18w	1260-1350lm	>80
AN-FPL-C-3060-28W	185-265V(Non-isolated)	28w	1960-2100lm	>80
AN-FPL-C-6060-42W	185-265V(Non-isolated)	42w	3570-3780lm	>80
AN-FPL-C-6060-48W	185-265V(Non-isolated)	48w	5520-5760lm	>80
AN-FPL-C-30120-42W	185-265V(Non-isolated)	42w	3570-3780lm	>80
AN-FPL-C-30120-52W	185-265V(Non-isolated)	52w	4420-4680lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098




AN-IPM03C

LED Panel Light(Spray white)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-IPM03C-6060-36W	85-265V	36W	3600-3700lm	>80
AN-IPM03C-6060-48W	85-265V	48W	4800-4950lm	>80
AN-IPM03C-30120-48W	85-265V	48W	4320-4560lm	>80
AN-IPM03C-60120-72W	85-265V	72W	6480-6840lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-IPM03CS

LED Panel Light(Surface, Spray white)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-IPM03CS-6060-36W	85-265V	36W	3600-3700lm	>80
AN-IPM03CS-6060-48W	85-265V	48W	4800-4950lm	>80
AN-IPM03CS-30120-48W	85-265V	48W	4320-4560lm	>80
AN-IPM03CS-60120-72W	85-265V	72W	6480-6840lm	>80



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-SPL-A

LED Panel Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SPL-A-3W	85-265V	3W	180-195lm	>70
AN-SPL-A-6W	85-265V	6W	390-420lm	>70
AN-SPL-A-9W	85-265V	9W	590-630lm	>70
AN-SPL-A-12W	85-265V	12W	840-900lm	>70
AN-SPL-A-15W	85-265V	15W	1050-1125lm	>70
AN-SPL-A-18W	85-265V	18W	1260-1350lm	>70
AN-SPL-A-24W	85-265V	24W	1680-1800lm	>70






AN-SPL02-A

LED Panel Light(Surface)

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-SPL02-A-6W	85-265V	6w	390-420lm	>70
AN-SPL02-A-12W	85-265V	12W	840-900lm	>70
AN-SPL02-A-18W	85-265V	18W	1260-1350lm	>70
AN-SPL02-A-24W	85-265V	24W	1680-1800lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098



AN-DL-D

LED Down Light

Spec.	Working Voltage	Power	Luminous Flux	CRI
AN-DL-D-7W	175-265v	7w	700lm	>70
AN-DL-D-12W	175-265v	12w	1200lm	>70
AN-DL-D-15W	175-265v	15w	1500lm	>70



Web: anerngroup.com | Email: group@anern.com | WhatsApp: +86 13570048098

Anern Industry Group Limited

Add : F1, R&D Building, No.3 Guangpuxi Avenue, Science City, Guangzhou, China